EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	98	"398"/$ and (diffract$4 near2 grating) and (light near2 (modulat$4 valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:18
L2	493	(398/94,197,81,149).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 12:03
L3	101	(359/301,304).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 12:08
L4	497	beam with separation with diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 12:15
L5	497	beam with separation with diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 12:50
L6	424	(359/337.1,337.2,337.21,337.5).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 12:15
L7	7	polariz$6 near2 diversity near module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:16

| L15 | 797 | ("1525550" \| "1548262" \| "1814701" \| "20010019454" \| "20020015230" \| "20020021485" \| "20020079432" \| "20020105725" \| "20020112746" \| "20020131228" \| "20020131230" \| "20020135708" \| "20020176149" \| "20020176151" \| "20020195418" \| "20020196492" \| "20030056078" \| "20030174939" \| "20030184843" \| "2415226" \| "2783406" \| "2920529" \| "2991690" \| "3256465" \| "3388301" \| "3443871" \| "3553364" \| "3576394" \| "3600798" \| "3656837" \| "3657610" \| "3693239" \| "3743507" \| "3752563" \| "3781465" \| "3783184" \| "3792916" \| "3802769" \| "3811186" \| "3861784" \| "3862360" \| "3871014" \| "3886310" \| "3896338" \| "3915548" \| "3935499" \| "3935500" \| "3938881" \| "3941456" \| "3942245" \| "3943281" \| "3947105" \| "3969611" \| "3980476" \| "3991416" \| "4001663" \| "4004849" \| "4006968" \| "4009939" \| "4011009" \| "4012116" \| "4012835" \| "4017158" \| "4020381" \| "4021766" \| "4034211" \| "4034399" \| "4035068" \| "4067129" \| "4084437" \| "4090219" \| "4093346" \| "4093921" \| "4093922" \| "4100579" \| "4103273" \| "4126380" \| "4127322" \| "4135502" \| "4139257" \| "4143943" \| "4163570" \| "4184700" \| "4185891" \| "4190855" \| "4195915" \| "4205428" \| "4211918" \| "4223050" \| "4225913" \| "4249796" \| "4250217" \| "4250393" \| "4256787" \| "4257016" \| "4290672" \| "4295145" \| "4311999" \| "4327411" \| "4327966" \| "4331972" \| "4336982" \| "4338660" \| "4343535" \| "4346965" \| "4348079" \| "4355463" \| "4361384" \| "4369524" \| "4374397" \| "4389096" \| "4391490" \| "4396246" \| "4398798" \| "4400740" \| "4408884" \| | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/15 12:16 |

3/15/06 1:17:23 PM
C:\Documents and Settings\MConsilvio\My Documents\EAST\Workspaces\10731955 Polarization Diversity Module.wsp

Page 2

L16	2769	(385/16).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 12:33
L18	869	(359/495).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 12:43
L19	1900	(398/48,49,81,83,84,87,147,149, 158,159).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 12:45
L20	300	19 and polariz$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:46
L21	178	19 and polariz$4 and (grat$3 diffract$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:47
L22	100060	beam with separat$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:50
L23	22894	beam with (distance separat$4) and polariz$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:52
L24	7811	beam with (distance separat$4) and polariz$4 and diffract$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:52

EAST Search History

L25	3706	beam with (distance separat$4) and polariz$4 and (diffract$4 near2 grat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:52
L26	2445	beam with (distance separat$4) and polariz$4 and (diffract$4 near2 grat$4) and ((light near valve) modulat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:54
L27	2042	beam near5 (distance separat$4) and polariz$4 and (diffract$4 near2 grat$4) and ((light near valve) modulat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:03
L28	929	beam near5 (distance separat$4) and polariz$4 and (diffract$4 near2 grat$4) and ((light near valve) modulat$4) and beam near5 (diameter raduis thickness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:07
L29	20	beam near5 (distance separat$4) and polariz$4 and (diffract$4 near2 grat$4) and ((light near valve) modulat$4) and beam near5 (diameter raduis thickness) with amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:08